

Teaching baby humanoid iCub to write ‘iCub’ and beyond

Vishwanathan Mohan, Pietro Morasso, Giorgio Metta, Jacopo Zenzeri, Giulio Sandini

Robotics, Brain and Cognitive sciences Department,

Italian Institute of Technology, Genova, Italy.

(vishwanathan.mohan, pietro.morasso, giorgio.metta)@iit.it

A monkey trying to cling to a branch of a tree, a couple dancing, a woman embracing her baby or a baby humanoid manipulating a ball are all essentially attempting to shape their bodies to conform with the shape of the worlds with which they are interacting. The shared underlying essence behind perceiving objects in the environment for example a cylinder, a ball, an amoeba etc, reading, enjoying art or performing movements ourselves like reaching, moving, in specific trajectories, coordinating ones fingers while manipulating objects, drawing and imitating etc is the notion of a ‘shape’ and the core cognitive faculty of ‘perceiving and synthesizing’ shapes. In this article, we describe our attempts to create this ability in the humanoid iCub in a very general and abstract sense, thereby facilitating its use several different contexts. We specifically deal with the case of iCub gradually learning to draw or ‘scribble’ shapes on a drawing board after observing a demonstration by a teacher and aided by a series of self evaluations of its performance. Learning to imitate a demonstrated human movement can be seen as a special case of this system, writing task of course imposing additional constraints of making smooth planar trajectories on the drawing board with a manipulated tool (in this case the paint brush) coupled to the arm. The computational architecture of the proposed shape perception/synthesis system is built by unifying two significant theoretical frameworks: a) Catastrophe theory (CT) originally proposed during the late 1960’s by the French mathematician Rene Thom [1] to formally explain the origin of forms and shapes in nature, further developed by Zeeman[2], Gilmore[3] among others and applied to a range of problems in engineering and physics; b) A generalization of the Equilibrium point hypothesis [5,6] called the Passive Motion Paradigm (PMP) [7,8,9] that on the other hand deals with the problem of coordinating motion of bodies with arbitrary complexity and redundancy, taking into account a range of internal and task specific constraints. According to CT, the global shape of a smooth function $f(x)$ can be fully characterized by a set of special local features (like peaks, valleys etc) called critical points, where first and probably some higher order derivatives vanish. Further developing CT, [4] have shown that following 11 CP’s are sufficient to characterize the shape of any line diagram: Interior Point, End Point, Bump (i.e maxima or minima), Cusp, Dot, Cross, Star, Angle, Wiggle, T and Peck. In short, CT provides a systematic framework to extract the ‘essence’ of a complex shape that iCub observes in the demonstration. For example the essence of the shape ‘C’ is the presence of a bump or a maxima somewhere in the middle, the shape ‘O’ is composition of a maxima and minima and so on. We call this minimal (and context independent) representation as the abstract visual program (AVP). AVP is transformed into a concrete motor goal (CMG) by applying some context to the context independent AVP like: a processes of transformation (from image plane to Cartesian space), specification of scaling/ amplification during shape synthesis, specification of the kinematic chain/ body DoF involved in the action generation and other task specific constraints (like kinematic model of tool etc). Virtual Trajectory synthesis system (VTGS) now has the function of synthesizing a smooth trajectory between the CP’s specified by the CMG. For the simple case of 2 CP’s (as in the example of synthesizing a shape ‘U’ in figure 2b) VTGS is a dynamical system described by $\dot{x}_T = K_1 \gamma_1(t)(x_{T1} - x_T) + K_2 \gamma_2(t)(x_{T2} - x_T)$ where K defines the virtual stiffness and γ implements the terminal attractor dynamics. The basic idea is that by pseudo randomly exploring the space of K and the overlap between different time base generators γ , different trajectories through the CP’s can be synthesized. Few examples are shown in figure 2b and 2c. The virtual trajectory now acts like an attractor to the kinematic chain involved in generating the movement using the PMP, i.e at this point the internal body model is coupled to the virtual trajectory to generate the motor commands necessary for action generation. The motion of the kinematic chain evoked by the activation of virtual targets generated by VTGS is equivalent to integrating non-linear differential equations that, in the simplest case take the form: $\dot{x} = J A J^T K_{eff} (x_T - x)$ where K_{eff} is the virtual stiffness that connects the virtual target to the end effector, and A is the admittance in the joint space, and J the Jacobian matrix of the involved kinematic chain. Note the inherent modularity in the architecture, it is possible to perform the same action with different body chains (for example when we draw a circle on a black board or run a circle in a football ground, what changes is the internal model chain that is coupled dynamically to the VTGS). A CT analysis

of the self generated movement is now performed to determine the ‘essence’ of the movement, which in the ideal scenario should match the essence of the observed shape. The crucial trick here is that action and perception are directly compared, because they both essentially give rise to same higher level abstract features or are just the two sides of a same coin. A reinforcement loop follows that allows iCub to self evaluate and improve its performance. Beyond this, a computational framework to teach iCub to write ‘iCub’ opens a window to peep into several fundamental ideas in cognitive science including principle of motor equivalence, imitation learning, human-humanoid interaction, mirror neuron system, communicating with a teacher, foundations of language in humanoids to mention a few. We hope to extend the iCubWrite system with an iCubDraw system where iCub will learn to draw line diagrams of simple ‘concepts’ like a Star, a Sun, a House etc, the drawings however driven by its learnt internal mental representations.




Figure1 shows the overall information flow in the proposed system, beginning with the demonstration to iCub (for example a ‘C’). This is followed by an analysis of the critical points in the shape using CT, that leads to the creation of an abstract visual program. The context independent AVP is now transformed into a concrete motor goal by applying relevant task specific contexts. CMG forms the input of the VTGS system that synthesizes different virtual trajectories by pseudo randomly exploring the space of stiffness(K) and timing (TBG). The VT is now coupled to the relevant internal model (PMP) to derive the motor commands. Analysis of the self generated movement (i.e output of the forward model) using CT now extracts the Abstract motor program that is compared with the AVP, to self evaluate a score of performance. A reinforcement loop follows.




Figure 2.2A. Initial trials on the iCub simulator to write ‘iCub’ using the left arm. In the simulation environment, the robot traces the target shape by pointing along the generated trajectory with its index finger. Front view, back view and view from the left camera is seen. 2B. Illustration of how different virtual trajectories between x_{T1} and x_{T2} can be obtained by exploring the space of K and the time base generators (TBG) τ_1 and τ_2 . 2C. Example end effector trajectories generated by iCub while learning to trace shapes ‘U’ and ‘C’ respectively. The final graph shows the TBG function. By changing the overlap between 2 TBG’s and the stiffness parameters different shapes can be synthesized. 2D and 2E. iCub tracing 2 simple shapes (maxima and minima) 2F. Different trials to draw a ‘U’

References

- [1] Thom, R. (1975). *Structural Stability and Morphogenesis*. Benjamin, Reading, MA: Addison-Wesley, 1989.
- [2] Gilmore, R. (1981). *Catastrophe Theory for Scientists and Engineers*. Wiley-Interscience, New York.
- [3] Zeeman, E.C. (1977). *Catastrophe Theory-Selected Papers 1972–1977*. Reading, MA: Addison-Wesley, 1977.
- [4] Chakravarthy, V.S., Kompella, B. (2003). The shape of handwritten characters, *Pattern recognition letters*, Elsevier science B.V.
- [5] Bizzi E, Polit A, Morasso P. (1976). Mechanisms underlying achievement of final position. *Journal of Neurophysiology* 39:435-444.
- [6] Feldman, A. G. (1966). Functional tuning of the nervous system with control of movement or maintenance of a steady posture, II: Controllable parameters of the muscles, *Biophysics*, 11:565-578.
- [7] Mussa Ivaldi, F.A, Morasso, P., Zaccaria, R. (1988). Kinematic Networks. A Distributed Model for Representing and Regularizing Motor Redundancy. *Biological Cybernetics*, 60, 1-16.
- [8] Mohan. V., Morasso, P., Metta, G., Sandini, G. (2009). A biomimetic, force-field based computational model for motion planning and bimanual coordination in humanoid robots. *Autonomous Robots*, Volume 27, Issue 3, pp. 291-301.
- [9] Morasso, P.; Casadio, M.; Mohan, V.; Zenzeri, J. (2009). A neural mechanism of synergy formation for whole body reaching. *Biological Cybernetics*, pp 1-27. (in press).
- [10] Mohan, V., Morasso, P. (2008). 'Reaching Extended': Unified computational substrate for mental simulation and action execution in Cognitive Robots. *Proceedings of third International conference of Cognitive science, CogSci 2008, Moscow, Russia (June 2008)*.
- [11] Zak, M. (1988). Terminal attractors for addressable memory in neural networks. *Phys. Lett. A*, 133, 218–222.

Acknowledgement

This research was conducted under the framework of EU FP7 projects iTalk and Humour. The authors thank the European commission for the sustained financial support and encouragement.